



1 / 1

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 08-205014

(43)Date of publication of application : 09.08.1998

(51)Int.Cl.

H04N 5/225

H04N 5/765

H04N 5/781

(21)Application number : 07-014253

(71)Applicant : CASIO COMPUT CO LTD

(22)Date of filing : 31.01.1995

(72)Inventor : OIE MASAHIRO

MATSUNAGA TAKESHI


JINDA KOICHI

(54) ELECTRONIC STILL CAMERA

(57)Abstract:

PURPOSE: To allow the user to delete an image even at a visiting place while simply confirming the image and to surely prevent accidental erasure of a required image by providing an operation key to a same case as that for a display section.

CONSTITUTION: An image pickup section, a storage means storing image data picked up by the image pickup section and a display section displaying image based on the image data stored in the storage means are integrated and an operation section of a key means provided to a same case as that of the display section is used to select an image to be displayed on the display section. That is, a still camera 101 with LCD is made up of two blocks being a main body section 102 and a camera section 103 and an LCD 106 is provided in a case 104 of the main body section 102. When an image having been picked up is erased, a key means provided to the same case is operated to display selectively a reproduced image on the LCD 106 integrated to the camera 101 and to find out an image desired to be erased and the erasure is executed while confirming the displayed image.



LEGAL STATUS

[Date of request for examination] 19.12.1996

[Date of sending the examiner's decision of rejection] 18.04.2000

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

BEST AVAILABLE COPY

JP-05-344460 A

(13)

特開平05-344460

Fig. 8 [図8]

multi-image screen
when no classification (a)
code is set

		
1	2	3
		
4	5	6
		
7	8	9

Track No. (No.)	時間 分(分)	時間 分(分)
1. 1 トラック	日本	A
2. 2 トラック	日本	A
3. 3 トラック	日本	A
4. 4 トラック	日本	B
5. 5 トラック	日本	B
6. 6 トラック	日本	C
7. 7 トラック	日本	C
8. 8 トラック	日本	C
9. 9 トラック	日本	C

分類コードを変更
したい画を再生

[図9]


mult-image screen (b)
・分類コード固定した時のマルチ画面

when classification
code is set

1	3	9
2	3	8
4	6	7

(ト)ラッフ No.)	(ロ)ラ コト)	英語 名
1. ト ラッフ	走	Run A
2. ト ラッフ	跳	Jump B
3. ト ラッフ	飛	Fly C
4. ト ラッフ	打	Hit A
5. ト ラッフ	打	Hit B
6. ト ラッフ	打	Hit C
7. ト ラッフ	拿	Take A
8. ト ラッフ	拿	Take B
9. ト ラッフ	拿	Take C

新しい分類コード 指定



(a)

Track No.	classification code	video image contents
track 1	flower	flower A
track 2	tree	tree A
track 3	tree	tree B
track 4	house	house A
track 5	flower	flower B
track 6	house	house B
track 7	house	house C
track 8	tree	tree C
track 9	flower	flower C

(61)

track 1	flower	flower A
track 2	flower	flower B
track 3	flower	flower C
track 4	tree	tree A
track 5	tree	tree B
track 6	tree	tree C
track 7	house	house A
track 8	house	house B
track 9	house	house C

Fig. 7

